



VÁLVULAS DE MEMBRANA EN PVC-U
PVC-U DIAPHRAGM VALVES
VANNE À MEMBRANE EN PVC-U



VÁLVULAS DE MEMBRANA EN PVC-U PN 10 bar - Membrana de EPDM o FPM
PVC-U DIAPHRAGM VALVES NP 10 bar - EPDM or FPM Diaphragm
VANNE À MEMBRANE EN PVC-U PN 10 bar - Membrane de EPDM ou FPM

Manguitos encolar
Socket ends
Raccords à coller

CODIGO	TUBO Ø	Kg.	DN
2610016	16	0,428	10
2610020	20	0,426	15
2610025	25	0,535	20
2610032	32	0,760	25
2610040	40	1,015	32
2610050	50	1,594	40
2610063	63	1,929	50



Disponible con juntas FPM / FPM O'rings Available / Disponible Joints FPM

Manguitos rosca hembra BSP
BSP female threaded ends
Taraudée BSP femelle

CODIGO	TUBO Ø	Kg.	DN
2620016	3/8"	0,430	10
2620020	1/2"	0,424	15
2620025	3/4"	0,535	20
2620032	1"	0,756	25
2620040	1 1/4"	1,001	32
2620050	1 1/2"	1,610	40
2620063	2"	1,974	50



Disponible con juntas FPM / FPM O'rings Available / Disponible Joints FPM

Con bridas PN 10 bar
With NP 10 bar flanges
Avec brides PN 10 bar

CODIGO	TUBO Ø	Kg.	DN
2630020	20	0,578	15
2630025	25	0,775	20
2630032	32	1,040	25
2630040	40	1,423	32
2630050	50	1,884	40
2630063	63	2,381	50



Disponible con juntas FPM / FPM O'rings Available / Disponible Joints FPM




VÁLVULAS DE MEMBRANA EN PVC-U PVC-U DIAPHRAGM VALVES VANNE À MEMBRANE EN PVC-U




CARACTERÍSTICAS TÉCNICAS - TECHNICAL CHARACTERISTICS - CARACTÉRISTIQUES TECHNIQUES

VÁLVULAS DE MEMBRANA - DIAPHRAGM VALVES - VANNE À MEMBRANE




Ø	A	B	C	D	E	F	G	H	I	K
16	16	17	156	24	93	117	73	82	10	M-6
20	20	17	156	24	93	117	73	82	15	M-6
25	25	19	168	27	98	125	83	82	20	M-6
32	32	22	184	33	107	140	93	94	25	M-6
40	40	27	205	39	113	152	102	94	32	M-8
50	50	35	228	50	121	171	115	117	40	M-8
63	63	32	245	47	123	170	122	117	50	M-8



Ø	A	B	C	D	E	F	G	H	I	K
20	15	67	130	73	82	91	49	140	97	M-6
25	20	73	150	83	82	96	53	149	106	M-6
32	25	85	160	93	94	105	58	163	115	M-6
40	32	99	180	102	94	112	70	182	140	M-8
50	40	109	200	115	117	121	75	196	150	M-8
63	50	122	230	122	117	128	82	210	164	M-8

GRÁFICO DE PERDIDAS DE CARGA PRESSURE LOSS GRAPHIC GRAPHIQUE DE PERTE DE CHARGE



CARACTERÍSTICAS:

- Desmontaje de un manguito de la válvula estando cerrada y en servicio, desmontaje del cuerpo radial.

CONDICIONES DE TRABAJO:

- Temperatura máxima 60°C. PN 10 bar

PRUEBA:

- Hidráulica según normas UNE-EN 917

CHARACTERISTICS:

- Demounting sleeve of a valve were closed and in service, radial demounting of the body.


WORK CONDITIONS:

- Maximum temperature 60°C. NP 10 bar

TESTING:

- Hydraulic in accordance with UNE-EN 917

VALORES PAR MANIOBRA EN VOLANTE OPERATING TORQUE VALUES VALEUR DE COUPLE



CARACTERISTIQUES:

- Désassemblent d'un manchon de la vanne étant fermée et dans service, désassemblent de le corps radial.

CONDITIONS DE TRAVAIL:

- Température maxime 60°C. PN 10 bar

ESSAI:

- Hydraulique selon les normes UNE-EN 917




VÁLVULAS DE MEMBRANA EN PVC-U

PVC-U DIAPHRAGM VALVES

VANNE À MEMBRANE EN PVC-U

REPUESTOS SPARE PARTS PIÈCES DETACHÉES



16/20 - 3/8" 1/2"

CODIGO	DENOMINACIÓN	FIG.
0550300020	Cierre EPDM	1
0550301020	Cierre FPM	1
0440011025	Tórica EPDM	2
0440012025	Tórica FPM	2
0015110016	Manguito liso ø16	3
0015210016	Manguito rosca ø3/8"	3
0015110020	Manguito liso ø20	3
0015210020	Manguito rosca ø1/2"	3
0016110020	Tuerca	4

25 - 3/4"

CODIGO	DENOMINACIÓN	FIG.
0550300025	Cierre EPDM	1
0550301025	Cierre FPM	1
0440021025	Tórica EPDM	2
0440022025	Tórica FPM	2
0015110025	Manguito liso ø25	3
0015210025	Manguito rosca ø3/4"	3
0016110025	Tuerca	4

32 - 1"

CODIGO	DENOMINACIÓN	FIG.
0550300032	Cierre EPDM	1
0550301032	Cierre FPM	1
0440011040	Tórica EPDM	2
0440012040	Tórica FPM	2
0015110032	Manguito liso ø32	3
0015210032	Manguito rosca ø1"	3
0016110032	Tuerca	4

40 - 1 1/4"

CODIGO	DENOMINACIÓN	FIG.
0550300040	Cierre EPDM	1
0550301040	Cierre FPM	1
0440011050	Tórica EPDM	2
0440012050	Tórica FPM	2
0015110040	Manguito liso ø40	3
0015210040	Manguito rosca ø1 1/4"	3
0016110040	Tuerca	4

50 - 1 1/2"

CODIGO	DENOMINACIÓN	FIG.
0550300050	Cierre EPDM	1
0550301050	Cierre FPM	1
0441051050	Tórica EPDM	2
0441052050	Tórica FPM	2
0015110052	Manguito liso ø50	3
0015210052	Manguito rosca ø1 1/2"	3
0016110054	Tuerca	4

63 - 2"

CODIGO	DENOMINACIÓN	FIG.
0550300063	Cierre EPDM	1
0550301063	Cierre FPM	1
0550401110	Tórica EPDM	2
0550403110	Tórica FPM	2
0015110064	Manguito liso ø63	3
0015210065	Manguito rosca ø2"	3
0016110067	Tuerca	4